


Safety Data Sheet



Formula: Proprietary

**SDS Effective Date:** 4/9/15

Manufacturer's Name & Address:Astec Corp., 7750-650 Zionsville Rd., Indianapolis, IN 46268Manufacturer's Tele. No.:317-872-7550Emergency Response:Chemtrec's Tele. No.:800-424-9300

# Section 2-Hazard Identification

Synonyms: NA -Mixture

Causes sever eye irritation. May cause mild skin irritation. Harmful or fatal if swallowed. Do not get in eyes, on skin or clothing. Wear personal protective equipment as required.

## **Hazard Pictogram:**



Signal Word: Danger

**Hazard Statements**: Flammable liquid and Vapor. May be fatal if swallowed and enters airways. Causes severe eye irritation. May cause mild skin irritation.

## **Precautionary Statements:**

## Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash hands and other exposed areas after use.

Wear protective personal equipment as required.

Section 3-Composition/Information on Ingredients					
Ingredients	CAS#	%	ACGIH TLV		
Aliphatic hydrocarbon mixture	64742-88-7	80-90	100 ppm		
Citrus terpenes	5989-27-5	5-20	NE		

## **Section 4-First Aid Measures**

**Eye Contact:** Immediately irrigate eyes with cool flowing water for 15 minutes while blinking eyelids. Remove contact lenses if present and easy to do without injury to the eye and continue rinsing. If irritation persists, get medical attention.

**Skin**: Remove contaminated clothing. Wash contact area with mild soap and water. Rinse thoroughly. **Inhalation**: Remove victim to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately.

**Ingestion**: Do <u>not</u> induce vomiting. For a conscious victim, drink one or two cups of milk or water. Never give anything to an unconscious person. Get medical attention immediately.

Notes to Physician: No specific antidote. Treatment based on sound judgment of physician and individual reactions of the patient.

## Acute Symptoms of Single Overexposure:

Eyes: Can cause severe eye irritation.

Skin: May cause skin irritation.

Inhalation: Can cause irritation if misted.

Ingestion: May be fatal if swallowed and enters airways Harmful if swallowed. Can cause burning in throat and stomach.





Safety Data Sheet

## Chronic Symptoms of Single Overexposure:

Eyes: Can cause severe eye irritation. Skin: May cause skin irritation. Inhalation: May cause irritation if misted. Ingestion May be fatal if swallowed and enters airways: Harmful if swallowed. Can cause burning in throat and stomach.

**Section 5-Fire Fighting Measures** 

**Extinguishing Media:** Foam, dry powder, carbon dioxide, water spray or sand. **Special Hazards:** Do not use heavy water stream. **Fire hazard:** Flammable liquid and vapor.

Explosion hazard: May form flammable/explosive vapor-air mixture. Reactivity: None known. Advise for Firefighters: Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear.

**Section 6-Accidental Release Measures** 

Emergency Procedures: Evacuate unnecessary personnel.

Personal Precautions: Ventilate area.

Protective Equipment: Safety glasses, chemical resistant gloves, Niosh approved respirator.

**Environmental Precautions:** *Prevent entry to sewers and public waters. Dike if needed. Neutralization may be needed.* **Procedure for Clean Up:** *Eliminate all ignition sources. Ventilate area. Absorb with inert dry material and place in an appropriate waste disposal container.* 

Section 7-Handling and Storage

Handling: Do not ingest. Avoid prolonged contact with skin or eyes. KEEP OUT OF REACH OF CHILDREN. Follow directions on label.

**Storage:** Keep containers closed and upright. Store in dry area between temperatures of -15 to  $0 \,^{\circ}C$  (40-90  $^{\circ}F$ ). Dispose of empty container in accordance with legal regulations.

Incompatible Materials: Sources of ignition. Heat sources.

## Section 8-Exposure Controls/Personal Protection

**Engineering Controls:** *Mechanical ventilation if vapor concentration becomes high.* **Respiratory Protection:** *If vapor concentration becomes high, use NIOSH/MSHA approved respiratory protection.* 

**Eye Protection:** *Chemical goggles or face shield* **Skin Protection:** *Impervious gloves and protective clothing.* **Other Protection:** *Eyewash stations and safety showers.* 

## Section 9-Physical and Chemical Properties

Appearance and Odor: Clear, water-white liquid with solvent odor.Odor Threshold: NEFlash Point: 115 Deg FFlammable Limits: Low6%, High –7%Auto Ignition Temperature: NEBoiling Point: 310 FVapor Pressure: NEVapor Pressure: NE				
Vapor Density (Air=1): >1 Solubility In Water: Not miscible. VOCs (Lbs./Gl.): No data available.	Evaporation Rate (BuAc=): <1 Specific Gravity: .78	Percent Volatile: Appr. 100	<b>pH:</b> Appr. 7.0 as is	

## Section 10-Stability and Reactivity

Reactivity: None known.	Chemical Stability: Stable	Hazardous Polymerization: Will not occur.	
<b>Stability Conditions to Avoid</b>	: Incompatible materials.	Incompatible Materials to Avoid: Strong oxidizers.	
<b>Hazardous Decomposition Pr</b>	oducts: Fume. Carbon monoxide.	Carbon dioxide. May release flammable gases.	
Additional Information: None	·		



## Section 11-Toxicological Information

Routes of Exposure: Eyes. Skin, Inhalation (Mist), Ingestion.

#### Acute Symptoms of Single Overexposure:

Eyes: Can cause severe eye irritation. Skin: May cause skin irritation. Inhalation: Can cause irritation if misted. Ingestion: May be fatal if swallowed and enters airways Harmful if swallowed. Can cause burning in throat and stomach.

#### Chronic Symptoms of Single Overexposure:

Eyes: Can cause severe eye irritation. Skin: May cause skin irritation. Inhalation: May cause irritation if misted. Ingestion May be fatal if swallowed and enters airways: Harmful if swallowed. Can cause burning in throat and stomach.

 Threshold Limit Value: NE
 OSHA Threshold Limit Value: NE
 ACGIH Threshold Limit Value: 200 ppm

 Carcinogen Under NTP Program: NE
 Carcinogen Under IARC Program: NE
 ACGIH Threshold Limit Value: 200 ppm

 Teratogenicity, Mutagenicity, Reproductive Effects: No data available.
 Ecotoxicity-Fish Species Data: No data available.
 ACGIH Threshold Limit Value: 200 ppm

## Section 12-Ecological Information

Persistence and Degradability: Not readible biodegradable. Bioaccumulative Potential: No Data Available. Mobility in Soil: No Data Available Other Adverse Effects: No Data Available

## Section 13-Disposal Considerations

**Disposal of Waste Method:** *Must be in accordance with state, municipal, provincial and federal regulations.* **Contaminated Packaging:** *Empty container should be recycled or disposed through an approved waste management facility.* 

## **Section 14-Transportation Information**

USDOT (Dept. of Transportation) Shipping Name: Not regulated in 55-gallon drum packages or less. USDOT Hazard Class: NA TDG (Canada): Not regulated when shipped in containers of less than 450L.

## Section 15-Regulatory Information

Canadian DSL Inventory Status: All ingredients listed. USEPA (TSCA): All ingredients are on the TSCA inventory. WHMIS Hazardous Class: NA

USEPA (SARA): NA

## **Section 16-Other Information**

SDS Legend: NA=Not Applicable NE=Not Established Appr.=Approximately

Hazardous Material Identification System (HMIS) Rating: Health: 1 Flammability: 2 Reactivity: 0 Personal Protection: B

## **Disclaimer:**

Astec Corporation (Astec) expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the product or information provided herein. All information herein was obtained from sources we feel are reliable. While the information is believed to be accurate, Astec makes no representations as to its accuracy or completeness. Conditions of use are beyond our control and as such, the users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their purposes. The users assume all risks associated with the use of, handling of, and disposal of the product.

