



Concrete Compression Testing Machines

Controller	Testing Options¹	Model²	Total Capacity, lbf (kN)	Maximum psi, 6x12in Cylinder
Automatic Series				
Automatic	Compression, Flexural, & Splitting	AC-250	250,000 (1,112)	7,000
		AC-325	325,000 (1,446)	9,200
		AC-450	450,000 (2,002)	12,700
Automatic	Compression, Flexural, Splitting, & Modulus of Elasticity	AC-250M	250,000 (1,112)	7,000
		AC-325M	325,000 (1,446)	9,200
		AC-450M	450,000 (2,002)	12,700
Automatic	Concrete Compression, Flexural, Splitting, Modulus of Elasticity, & Poisson's Ratio	AC-250MR	250,000 (1,112)	7,000
		AC-325MR	325,000 (1,446)	9,200
		AC-450MR	450,000 (2,002)	12,700
Standard Series				
Pro	Compression, Flexural, & Splitting	MC-250P	250,000 (1,112)	7,000
		MC-300P	300,000 (1,335)	8,500
		MC-400P	400,000 (1,780)	11,300
		MC-500P	500,000 (2,224)	14,100
Pro Plus	Compression, Flexural, & Splitting	MC-250PR	250,000 (1,112)	7,000
		MC-300PR	300,000 (1,335)	8,500
		MC-400PR	400,000 (1,780)	11,300
		MC-500PRP³	500,000 (2,224)	14,000

¹Requires specified accessories. ²Add "F" to model number for 230V,50Hz electrical operation. ³Frame configured for two-block masonry prisms