Safety Data Sheet acc. to OSHA HCS

Version: 9.4

Reviewed on 02/13/2020

1 Identification

- · Product identifier
- Trade name: SYLOID® 244
- · Application of the substance / the preparation: Intermediate product of varied applicability in industry and trade.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: GRACE W. R. Grace & Co.-Conn 7500 Grace Drive Columbia MD 21044 U. S. A.
- · Information department: Health and Safety (9 AM to 5 PM-EST) 1-410-531-4000 MSDS.Davison@grace.com
- · Emergency telephone number: Chemtrec North America: +1-800-424-9300 Chemtrec International: +1-703-527-3887 Other Emergencies (24hr): +1-410-531-4000

2 Hazard(s) identification

- · Classification of the substance or mixture
- The substance is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- Signal word None
- · Hazard statements None
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

0

· HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = 1
		Fire = 0
REACTIVITY	0	Reactivity =

· Hazard not otherwise classified

The product is very adsorbent and may have a drying effect on skin and eyes. When exceeding the OEL (Occupational Exposure Limit) a mechanical overburdening of the respiratory system is possible.

(Contd. on page 2)

USA



Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

(Contd. of page 1)

99-100%

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · Description:
- · CAS No. and description:

7631-86-9 amorphous silicon dioxide, chemically prepared

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Generally the product does not irritate the skin.

- Wash with water.
- After eye contact:

Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.

- · After swallowing: Seek medical attention. Do not induce vomiting.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No further relevant information available.
- · Hazardous combustion products No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear personal protective equipment.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- Environmental precautions: Damp down dust with water spray.
- Methods and material for containment and cleaning up:
- Vacuuming or wet sweeping may be used to avoid dust dispersal.
- \cdot Reference to other sections No dangerous substances are released.
- · Protective Action Criteria for Chemicals

· PAC-1:

· PAC-2:

18 mg/m3

740 mg/m3

(Contd. on page 3)

LISA



Safety Data Sheet acc. to OSHA HCS

Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

· PAC-3:

(Contd. of page 2)

4,500 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Prevent formation of dust.
- Keep receptacles tightly sealed.
- Provide suction extractors if dust is formed.
- Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal. Take precautionary measures against static discharges.
- **Information about protection against explosions and fires:** Protect against electrostatic charges. The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in dry conditions. This product is hygroscopic.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
7631-	86-9 amorphous silicon dioxide, chemically prepared
IDLH	Short-term value: 3000 mg/m ³ IDLH: Immediately Dangerous to Life or Health
PEL	Long-term value: 80mg/m ³ /%SiO2 mg/m ³ OSHA TWA for amorphous silica
REL	Long-term value: 6 mg/m³ NIOSH TWA
TLV	Long-term value: 10* 5** mg/m ³ OSHA TWA *Total dust **Respirable fraction
· Addit	ional Occupational Exposure Limit Values for possible hazards during processing:
Dust	inhalable
	Long-term value: 15 mg/m ³ TWA
	Long-term value: 15 mg/m ³ TWA
Dust	respirable
	Long-term value: 5 mg/m ³ TWA
	Long-term value: 5 mg/m ³ TWA
Addit	ional information: Valid lists at time of creation were used as basis.
	(Contd. on page 4



Safety Data Sheet acc. to OSHA HCS

Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

(Contd. of page 3) Exposure controls · Appropriate engineering controls No further relevant information available. · Personal protective equipment: · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. · Protection of hands: Wear gloves for the protection against mechanical hazards. Use gloves of stable material (e.g. Nitrile) Protective gloves Check protective gloves prior to each use for their proper condition. Check the permeability prior to each new use of the glove. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Butyl rubber, BR Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable: Butyl rubber, BR Nitrile rubber, NBR • For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR Nitrile rubber, NBR • Not suitable are gloves made of the following materials: Strong fabric gloves · Eye protection: Safety glasses · Body protection: Protective work clothing 9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance:

 • Appearance:
 Form:
 Powder

 • Color:
 White

 • Odor:
 Characteristic

 • Odor threshold:
 Not applicable.

 • pH-value at 20 °C (68 °F):
 4.0-9.0

- USA



Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

	(Contd. of page
Change in condition	
Melting point/Melting range:	>1700 °C (>3,092 °F)
Boiling point/Boiling range: Conditions of flammability	>1700 °C (>3,092 °F)
Flash point:	Not determined.
Flammability (solid, gaseous): Ignition temperature: Decomposition temperature:	Product is not flammable. Not applicable. Not applicable.
Auto igniting:	Product is not self-igniting.
Danger of explosion: Explosion limits:	Product does not present an explosion hazard.
Lower: Upper:	- Vol % - Vol %
Vapor pressure at 20 °C (68 °F):	- hPa
· Density at 20 °C (68 °F): · Bulk density at 20 °C (68 °F): · Vapor density	2.17 - 2.20 g/cm³ (18.10865 - 18.359 lbs/gal) 70 - 600 kg/m³ Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with Water at 20 °C (68 °F): Coefficient of water/oil distributio	>100 g/l (OECD 105) n: Not available.
Viscosity: Dynamic at 20 °C (68 °F):	- mPas
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

7631-86-9	amor	phous silicon dioxide, chemically prepared	
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>5,000 mg/kg (rabbit) (no guidance available)	
Inhalative	LC0	>140->2,000 mg/m ³ /4h (rat) (OCED 403) Maximum attainable concentration, mortality does not appear.	

— USA



Safety Data Sheet acc. to OSHA HCS

Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

on the skin	:
	amorphous silicon dioxide, chemically prepared
Irritation of	skin IS 0 (rabbit) (OECD 404)
on the eye	
	amorphous silicon dioxide, chemically prepared
	eyes IS 0 (rabbit) (OECD 405)
	y sensitization No further relevant information available.
Skin sensit	ization No further relevant information available.
Additional	toxicological information:
Carcinoge	nic categories
IARC (Inter	national Agency for Research on Cancer)
NTP (Natio	nal Toxicology Program)
Substance i	s not listed.
OSHA-Ca (Occupational Safety & Health Administration)
Substance i	s not listed.
Repeated of	lose toxicity
7631-86-9 a	amorphous silicon dioxide, chemically prepared
	NOAEL (90 d) 9,000 mg/kg bw/day (rat) (OECD 408)
	NOAEL (90d) 31 mg/m ³ (rat) (acc. to OECD 413)
	s (carcinogenity, mutagenicity and toxicity for reproduction)
	nicity No further relevant information available.
Mutagenic	•
	amorphous silicon dioxide, chemically prepared
AIVIES LEST	>5 mg/plate (in-vitro) (OECD 471) negative, with and without metabolic activation
	ECHA 2012
Reproduct	ve toxicity
	amorphous silicon dioxide, chemically prepared
	L (maternal toxicity) 1,350 mg/kg bw/day (rat) (OECD 414)
	L (teratogenicity) 1,350 mg/kg bw/day (rat) (OECD 414)

12 Ecological information

· Toxicity

· Aquatic toxicity:

· Fish toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

LC0 (96 h) (static) 10,000 mg/l (zebra fish) (OECD 203)

· Water flea toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared

EC50 (24 h) >1,000 mg/l (Daphnia magna) (OECD 202)

(Contd. on page 7) USA

Safety Data Sheet acc. to OSHA HCS

Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

(Contd.	of	page	6)
---------	----	------	----

· Algae toxicity
7631-86-9 amorphous silicon dioxide, chemically prepared
EC50 (72 h) >10.000 mg/l (Scenedesmus subspicatus) (OECD 201)

comparable substance

· Persistence and degradability No further relevant information available.

· Other information:

Amorphous silica dioxide is chemically and biologically inert.

By the insolubility in water there is a separation at every filtration and sedimentation process.

· Behavior in environmental systems:

- · Bioaccumulative potential Does not accumulate in organisms
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

Recommendation:

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State/provincial and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state/ provincial and local requirements.

UN-Number	
DOT, ADR, ADN, IMDG, IATA	None
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	None
Packing group DOT, ADR, IMDG, IATA	None
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specification GRACE recommendation for air transport: Cargo aircraft only.

(Contd. on page 8)



Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

(Contd. of page 7)

Safety, health and environmental regulations/legislation specific	c for the substance or
mixture	
SARA SARA 302/304	
Substance is not listed.	
SARA 313 Substance is not listed.	
TSCA (Toxic Substances Control Act): Proposition 65	
Chemicals known to cause cancer:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
Chemicals known to cause developmental toxicity:	
Substance is not listed.	
Carcinogenic categories EPA (Environmental Protection Agency)	
Substance is not listed.	
TLV (Threshold Limit Value established by ACGIH) Substance is not listed.	
	-1
NIOSH-Ca (National Institute for Occupational Safety and Health Substance is not listed.	1)
Canadian DSL	
7631-86-9 amorphous silicon dioxide, chemically prepared	
Canadian NDSL Substance is not listed.	
European EINECS Substance is listed.	
Philippines Inventory of Chemicals and Chemical Substances P	ICCS
Substance is listed.	
Inventory of the Existing Chemical Substances manufactured on	r imported in China IECS
7631-86-9 amorphous silicon dioxide, chemically prepared	
Australian Inventory of Chemical Substances AICS	
Substance is listed.	
Existing and New Chemical Substance List ENCS	
	1.
Korean Existing Chemical Inventory KECI	· /
New Zeelend Incontent (CDRA) All to the Party Party	KE-31
New Zealand Inventory (ERMA) All ingredients are listed.	

(Contd. on page 9)



Safety Data Sheet acc. to OSHA HCS

Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

(Contd. of page 8)

New Zealand Inventory of Chemicals (NZIoC)

Substance is listed.

- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: GRACE Safety & Health Department
- · Tarif number 2811 2200
- · Contact: SALES OFFICES

USA: GRACE W. R. Grace & Co.-Conn 7500 Grace DR Columbia, MD 21044 Tel: +1 410-531 4000

Europe: Grace GmbH In der Hollerhecke 1 D-67545 Worms, Germany Tel: +49 6241 4030

Asia Pacific: Grace Products (Singapore) Pte Ltd 230 Orchard Road 09-232, Faber House Singapore 238854 Tel: +65 6737 3033 Fax: +65 6737 5826

Grace Trading (Shanghai) Ltd 19th Floor K.Wah Center 1010 Huai Hai Zhong Road Shanghai, 200031 China T (电话): +86 21 3325 8288 F (传真): +86 21 5405 1500

W. R. Grace Japan K.K Kohken New River Bldg 3F 2-21-18, Shinkawa Chuo-ku, Tokyo 104-0033 JAPAN Tel: +81 3.3537.6006 Fax: +81 3.3537.6007

Date of preparation / last revision 02/13/2020 / 9.3

• The first date of preparation 02/17/2015

 \cdot Number of revision times and the latest revision date 9.4 / 02/13/2020

 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 10)



Safety Data Sheet acc. to OSHA HCS

Version: 9.4

Reviewed on 02/13/2020

Trade name: SYLOID® 244

(Contd. of page	9)
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the	
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Others No further relevant information available.	
• * Data compared to the previous version altered.	
	USA —